

HIGH-PERFORMANCE RELEASE PAPERS

Pixelle* specialty release papers are designed for pressure-sensitive adhesive applications where standard release liners fall short. With 40 varieties of machine-glazed and machine-finished, clay-coated kraft (CCK) base papers, Pixelle delivers the broadest range of release products in North America. If your requirements extend beyond our standard portfolio, our product development engineers are ready to collaborate to develop a custom-tailored solution.

- Compatible with thermal and radiation curing systems and a variety of catalysts
- > Extensive options for different release levels
- Superior lay-flat and dimensional stability
- Superb backside printability



EXHERE® MATTE

Exhere Matte clay-coated release liners offer enhanced lay-flat properties designed for sheetfed and roll applications. Functional one-side and two-side options are available.

| GRADE | FUNCTIONAL SIDES | BASIS WEIGHT | | CALIPER | DECICN FEATURES |
|------------|---------------------|--------------|-----|---------|--|
| | | LB./3,000 SF | GSM | (MILS) | DESIGN FEATURES |
| Exhere® | F1S | 57 | 93 | 3.9 | Clay-coated kraft liner for graphic arts and decals |
| | | 66 | 108 | 4.6 | |
| | | 76 | 124 | 6.2 | |
| | | 107 | 175 | 8.1 | |
| | | 133 | 216 | 10.5 | Matte tag liner for graphic arts |
| Exhere® LF | F1S | 65 | 105 | 4.7 | Clay-coated kraft liner with superior lay-flat performance |
| | | 77 | 126 | 6 | |
| Exhere® RB | F1S | 69 | 112 | 5 | Lay-flat liner for sheetfed, digitally printed labels |
| Exhere® 25 | F2S | 80 | 131 | 6.3 | Two-sided, coatable kraft liner for graphic arts |

Manufactured in Spring Grove, PA

EXHERE® DENSIFIED

Exhere Densified clay-coated release liners are designed for optimal performance in die cutting and plotter cut applications. Functional one-side and two-side options are available.

| GRADE | FUNCTIONAL SIDES | BASIS WEIGHT | | CALIPER | DESIGN FEATURES |
|-------------------------|---------------------|--------------|-----|---------|--|
| | | LB./3,000 SF | GSM | (MILS) | DESIGN FEATURES |
| Exhere® Densified | F1S | 76 | 124 | 4.6 | Clay-coated kraft liner for graphic arts |
| | | 121 | 197 | 7.6 | Tag liner for sheeted graphics |
| Exhere® Densified 25 | F2S | 80 | 131 | 4.6 | Two-sided, coatable kraft liner for graphic arts |
| Exhere® Densified SB | F1S | 83 | 135 | 4.8 | Enhanced backside smoothness to prevent pattern transfer |

Manufactured in Spring Grove, PA



POINTSIL®

PointSil is a functional one-side release-liner base sheet designed for pressure-sensitive labels and laminations. Coatings are designed for solventless, radiation and emulsion silicones. The sheet features excellent dimensional stability for laminate lay-flat, along with a clean, white, premium appearance.

| GRADE | FUNCTIONAL SIDES | BASIS WEIGHT | | CALIPER | DEGLEN EF ATURE |
|------------------------|---------------------|--------------|-----|---------|--|
| | | LB./3,000 SF | GSM | (MILS) | DESIGN FEATURES |
| | F1S | 32 | 52 | 2.1 | Designed for sheetfed, pressure-sensitive applications |
| | | 36 | 59 | 2.5 | |
| | | 44 | 72 | 3.2 | |
| PointSil® CCK Liner | | 47 | 77 | 3.4 | |
| Lillel | | 60 | 98 | 4.3 | |
| | | 69 | 112 | 5.0 | |
| | | 74 | 121 | 5.4 | |
| PointSil® CCK | F1S | 32 | 52 | 2.1 | Features backside coating and rougher backside surface for more challenging, sheetfed, pressure-sensitive applications |
| Liner LZ | | 36 | 59 | 2.5 | |
| PointSil® | F1S | 54 | 88 | 3.2 | Designed for demanding graphic release applications requiring a very smooth surface |
| | | 60 | 98 | 3.8 | |
| Densified Liner | | 67 | 109 | 4.2 | |
| | | 73 | 119 | 4.6 | |
| | F1S | 30 | 49 | 2.15 | Designed for sheetfed, pressure-sensitive applications like laser-printed labels |
| | | 35 | 57 | 2.5 | |
| PointSil® Office | | 45 | 73 | 3.2 | |
| | | 50 | 82 | 3.4 | |
| | | 60 | 98 | 4.3 | |
| | | 70 | 114 | 5.0 | |

Manufactured in Stevens Point, Wisconsin







SFI Marks are registered marks owned by the Sustainable Forestry Initiative, Inc. www.forests.org









TO PLACE AN ORDER

Contact your sales representative or call us at Pixelle.

1-800-458-6323 | www.Pixelle.com CustomerService@Pixelle.com

